

R-F. HADRON PHYSICS AT CERN SPS AND LHC

Ferenc Siklér, András Agócs[#], László Boldizsár, Zoltán Fodor, Endre Futó, Sándor Hegyi, Gábor Jancsó, József Kecskeméti, Krisztián Krajczár, András László, Krisztina Márton[#], Levente Molnár, Gabriella Pállya, Sona Pochybová[#], Zoltán Seres, János Sziklai, Anna Julianna Zsigmond[#]

CERN-ALICE experiment. — We took part in the data analysis of the HMPID subdetector, as well as in the research and development of the DAQ system for the planned VHMPID detector. Beside these activities, we also participated in the operation of the ALICE GRID Tier-2 site, and performed detector control tasks. Our most important result was the theoretical and experimental analysis of the pseudorapidity density and nuclear modification factors in $\sqrt{s} = 5$ TeV center-of-mass energy p-Pb collisions. Our model predictions, published at the beginning of the year, are in good agreement with the results of these first measurements.

CERN-CMS experiment, hadron physics. — We have determined the inelastic p-p cross section with a simple event counting method at $\sqrt{s} = 7$ TeV, and have contributed to a combined cross section paper, together with a pile-up counting analysis. We have measured the spectra of identified charged hadrons in p-p collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV. Charged pions, kaons, and protons in the transverse-momentum (p_T) range 0.1-1.7 GeV/c were identified via their energy loss in the silicon tracker. The average p_T increases rapidly with the mass of the hadron and the event charged-particle multiplicity, independently of the center-of-mass energy. We have presented both results at the DIS2012 conference.




Fig 1. CMS: The nuclear modification factor R_{AA} in central heavy-ion collisions for neutral and charged hadrons, at several center-of-mass energies.




Fig 2. CMS: The nuclear modification factor R_{AA} for upsilon states as a function of the centrality of the heavy-ion collision.

We have participated in the measurement of the relative and absolute suppression of Y states in Pb-Pb collisions. We see the expected sequential melting of quarkonium states. We have

[#] PhD student

performed a study of Z boson production in Pb-Pb collisions with a high statistics data set, obtained in 2011. The measurements compared to NLO calculations show that the production of Z bosons is not modified by the strongly interacting matter produced in heavy-ion collisions. We also have participated in the measurement of the nuclear modification factor of charged particles in Pb-Pb collisions, using the data set mentioned above. The results were presented at the HP2012 conference. We took part in the analysis of jet-track correlations by evaluating the performance of tracking and the related uncertainties of the final results. We have developed the trigger menu used to record the first p-Pb collisions, and also contributed to the measurement of two-particle correlations by developing the event selection and performing various cross-checks.

CERN-NA61 experiment. — We have measured the spectra of charged pions and kaons in minimum bias p-C collisions at 31 GeV/c beam momentum. These data have been used as reference data to for a precise calculation of neutrino fluxes produced at the T2K neutrino beam experiment. We have also recorded a large statistics minimum bias p-Pb data set at 158 GeV/c beam momentum, a unique reference for comparisons with heavy-ion collisions. For event centrality determination in these collisions a new detector, the Low Momentum Particle Detector, was developed in the framework of the REGARD group, in close collaboration with us. We have significantly upgraded the DAQ system of the experiment, making it possible to record data with sufficient speed and quality. Furthermore, we also started to develop a new offline software system, for fast data reconstruction and analysis.

Independent works. — We have studied the estimation of energy loss rate (dE/dx) for charged particles in tracking detectors. The truncated mean method was generalized to the weighted mean of the measurements. The optimized weights are rather independent of particle momentum and track segment length, and their values are given by a simple universal description as a function of the number of measured track segments. We have approximated the energy loss distribution of charged particles in silicon by a simple analytical parametrization. With the help of energy deposits in sensing elements of the detector, the position of track segments and the corresponding deposited energies were estimated with improved accuracy and less bias. The parametrization was successfully used to estimate the energy loss rate of charged particles, and applied to detector gain calibration tasks.

GRANTS AND INTERNATIONAL COOPERATION

OTKA K 81614	New analysis methods and tests of quantum chromodynamics at the LHC (F. Siklér, 2010-2014)
OTKA NK 81447	Hungary in the CMS experiment of the Large Hadron Collider (D. Horváth, 2010-2013)
OTKA K 68506	Experimental and model study of high momentum transfer phenomena at pp, pA and AA reactions (Z. Fodor; 2007-2012)
CERN-NA49	D. Barna, Z. Fodor, A. László, G. Pála, F. Siklér, Gy. Vesztergombi
CERN-NA61	L. Boldizsár, Z. Fodor, A. László, G. Pála, Gy. Vesztergombi
CERN-ALICE	A. Agócs, GG. Barnaföldi, D. Berényi, L. Boldizsár, E. Dénes, G. Hamar, P. Lévai, S. Pochybova, L. Molnár
CERN-CMS	Cs. Hajdu, P. Hidas, D. Horváth, F. Siklér, V. Veszprémi, Gy. Vesztergombi, AJ. Zsigmond, K. Krajczár

PUBLICATIONS*Articles*

1. Yoshikawa* A et al [ALICE ITS Collaboration]; Development of resistive electrode gas electron multiplier (RE-GEM); *JINST*; **7**, C06006/1-9, 2012
2. Abelev* B et al [ALICE Collaboration]; K_s^0 - K_s^0 correlations in pp collisions at $\sqrt{s} = 7$ TeV from the LHC ALICE experiment; *Phys Lett B*; **717**, 151-161, 2012
3. Abelev* B et al [ALICE Collaboration]; Neutral pion and η meson production in proton-proton collisions at $\sqrt{s} = 0.9$ TeV and $\sqrt{s} = 7$ TeV; *Phys Lett B*; **717**, 162, 2012
4. Zichichi* A [LVD, EEE, TOF (ALICE) Collaboration]; Proposal for an MRPC system with high-precision timing in the LVD structure; *Eur Phys J Plus*; **127**, 42, 2012
5. Abelev* B et al [ALICE Collaboration]; Measurement of charm production at central rapidity in proton-proton collisions at $\sqrt{s} = 2.76$ TeV; *JHEP*; **07**, 191, 2012
6. Ahn* S et al [ALICE Collaboration]; Commissioning of the ALICE muon spectrometer trigger at LHC; *Nucl Instrum Meth A*; **661**, S41, 2012
7. Gagliardi* M [ALICE Collaboration]; Commissioning and first performance of the resistive plate chambers for the ALICE muon arm; *Nucl Instrum Meth A*; **661**, S45, 2012
8. De Gruttola* D [ALICE Collaboration]; Study of the cosmic data taken with the ALICE TOF detector at the LHC; *Nucl Instrum Meth A*; **661**, S102, 2012
9. Abelev* B et al [ALICE Collaboration]; Suppression of high transverse momentum D mesons in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *JHEP*; **09**, 112, 2012
10. Abelev* B et al [ALICE Collaboration]; J/Ψ Production as a Function of Charged Particle Multiplicity in pp Collisions at $\sqrt{s} = 7$ TeV; *Phys Lett B*; **712**, 165, 2012
11. Abelev* B et al [ALICE Collaboration]; J/Ψ suppression at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Phys Rev Lett*; **109**, 072301, 2012
12. Abelev* B et al [ALICE Collaboration]; Heavy flavour decay muon production at forward rapidity in proton-proton collisions at $\sqrt{s} = 7$ TeV; *Phys Lett B*; **708**, 265, 2012
13. Abelev* B et al [ALICE Collaboration]; Measurement of event background fluctuations for charged particle jet reconstruction in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *JHEP*; **03**, 053, 2012
14. Abelev* B et al [ALICE Collaboration]; Light vector meson production in pp collisions at $\sqrt{s} = 7$ TeV; *Phys Lett B*; **710**, 557, 2012
15. Abelev* B et al [ALICE Collaboration]; Underlying Event measurements in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the ALICE experiment at the LHC; *JHEP*; **07**, 116, 2012
16. Abelev* B et al [ALICE Collaboration]; Measurement of charm production at central rapidity in proton-proton collisions at $\sqrt{s} = 7$ TeV; *JHEP*; **01**, 128, 2012

17. Abelev^{*} B et al [ALICE Collaboration]; J/Ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV; *Phys Rev Lett*; **108**, 082001, 2012
18. Aamodt^{*} K et al [ALICE Collaboration]; Particle-yield modification in jet-like azimuthal di-hadron correlations in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Phys Rev Lett*; **108**, 092301, 2012
19. [ALICE Collaboration]; Multi-strange baryon production in pp collisions at root $s = 7$ TeV with ALICE; *Phys Lett B*; **712**, 309-318, 2012. Schukraft^{*} J [ALICE Collaboration]; Heavy Ion physics with the ALICE experiment at the CERN LHC; *Phil Trans Roy Soc Lond A*; **370**, 917, 2012
20. Aamodt^{*} K et al [ALICE Collaboration]; Harmonic decomposition of two-particle angular correlations in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Phys Lett B*; **708**, 249, 2012
21. [CMS Collaboration][♦]; Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 7$ TeV; *CMS-PAS-QCD-11-002*, <http://cdsweb.cern.ch/record/1433413>, 2012
22. [CMS Collaboration][♦]; Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76$, and 7 TeV; *Eur Phys J C*; **72**, 2164, 2012
23. [CMS Collaboration][♦]; Observation of sequential Y suppression in PbPb collisions; *CMS-HIN-11-011*, <http://cdsweb.cern.ch/record/1472750>, 2012
24. [♦][CMS Collaboration][♦]; Z boson production with the 2011 data in PbPb collisions; *CMS-PAS-HIN-12-008*, <http://cdsweb.cern.ch/record/1472723>, 2012
25. [CMS Collaboration][♦]; Study of high- p_T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Eur Phys J C*; **72**, 1945, 2012
26. [CMS Collaboration][♦]; Detailed characterization of jets in heavy ion collisions using jet shapes and jet fragmentation functions; *CMS-PAS-HIN-12-013*, <http://cdsweb.cern.ch/record/1472734>, 2012
27. [CMS Collaboration][♦]; Observation of long-range near-side angular correlations in proton-lead collisions at the LHC; *CMS-HIN-12-015*, <http://cdsweb.cern.ch/record/1486180>, 2012
28. Chatrchyan^{*} S et al [CMS Collaboration]; Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach; *JHEP*; **08**, 130, 2012
29. Chatrchyan^{*} S et al [CMS Collaboration]; Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Phys Rev Lett*; **109**, 152303, 2012
30. Chatrchyan^{*} S et al [CMS Collaboration]; Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at 7 TeV; *JHEP*; **06**, 160, 2012
31. Chatrchyan^{*} S et al [CMS Collaboration]; Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV; *Phys Rev Lett*; **109**, 022301, 2012

[♦] Highlighted publication, where the contribution of our group was decisive.

32. Chatrchyan* S et al [CMS Collaboration]; Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV; *Phys Lett B*; **712**, 176, 2012
33. Chatrchyan* S et al [CMS Collaboration]; Inclusive b-jet production in pp collisions at $\sqrt{s}=7$ TeV; *JHEP*; **04**, 084, 2012
34. Chatrchyan* S et al [CMS Collaboration]; Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s}=7$ TeV; *JHEP*; **06**, 036, 2012
35. Chatrchyan* S et al [CMS Collaboration]; Suppression of non-prompt J/Ψ, prompt J/Ψ, and Y(1S) in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV; *JHEP*; **05**, 063, 2012
36. Chatrchyan* S et al [CMS Collaboration]; Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV; *Eur Phys J C*; **72**, 2012, 2012
37. Chatrchyan* S et al [CMS Collaboration]; Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV; *Phys Lett B*; **710**, 256, 2012
38. Chatrchyan* S et al [CMS Collaboration]; Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s}=7$ TeV; *JHEP*; **01**, 133, 2012
39. Chatrchyan* S et al [CMS Collaboration]; Jet Production Rates in Association with W and Z Bosons in pp Collisions at $\sqrt{s}=7$ TeV; *JHEP*; **01**, 010, 2012
40. Chatrchyan* S et al [CMS Collaboration]; Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s}=0.9$ and 7 TeV; *JHEP*; **02**, 055, 2012
41. Chatrchyan* S et al [CMS Collaboration]; Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at 7 TeV; *Eur Phys J C*; **72**, 1839, 2012
42. [NA61 Collaboration]*; Measurement of production properties of positively charged kaons in proton-carbon interactions at 31 GeV/c; *Phys Rev C*; **85**, 035210, 2012
43. Cetner* T et al. [NA61 Collaboration]; Methods to study event-by-event fluctuations in the NA61/SHINE experiment at the CERN SPS; *Phys Atom Nucl*; **75**, 567, 2012
44. Davis* N et al [NA49 Collaboration]; Searching for the QCD critical point in A A collisions at CERN SPS; *Phys Atom Nucl*; **75**, 661, 2012
45. Anticic* T et al [NA49 Collaboration]; Antideuteron and deuteron production in mid-central Pb+Pb collisions at 158A GeV; *Phys Rev C*; **85**, 044913, 2012
46. Reisdorf* W et al [FOPI Collaboration]; Systematics of azimuthal asymmetries in heavy ion collisions in the 1 A GeV regime; *Nucl Phys A*; **876**, 1-60, 2012
47. Siklér F, Szeles* S; Optimized estimation of energy loss rate for charged particles from energy deposit measurements in tracking detectors; *Nucl Instrum Meth A*; **687**, 30-39, 2012
48. Siklér F, A parametrisation of the energy loss distributions of charged particles and its applications for silicon detectors, *Nucl Instrum Meth A*; 691, 16-29, 2012
49. Salgado* C et al, incl Siklér F; Proton-nucleus collisions at the LHC: Scientific opportunities and requirements; *J Phys G*; 39, 015010, 2012

Conference proceedings

50. László A; A linear iterative unfolding method; In:*Proc. of the 14th International Workshop on Advanced Computing and Analysis Techniques in Physics Research ACAT 2011, (Uxbridge, London, UK, Sept 5-9, 2011)*; J Phys: Conf Ser; **368**, 012043, 2012;
51. Mackowiak* M et al. [NA49 Collaboration]; Identity method - a new tool for studying chemical fluctuations; In: *Proc. CPOD 2010 (August 23-29, Dubna, Russia)*; Phys Atom Nucl; **75**, 651, 2012
52. Agócs AG, Barnaföldi GG, Lévai P; Underlying event in pp collisions at LHC Energies; In: *Proc. 6th International Workshop on High-pT physics at LHC (Utrecht, Netherlands, April 4-7, 2011)*; CERN-Proceedings-2012-001, 33-37, 2012